



Gold zinc tropical effect (Z360)

Do you have any tropicalized surfaces, defenceless in front of corrosion? To refresh them after tropicalize process, this Ambro-Sol spray is perfect, because it donates resistance to the treated part against abrasions and atmospheric agents.

GOLD ZINC TROPICAL EFFECT – Galvanizing protection with gold finish used to restore tropicalized surfaces subjected to cutting or welding procedures. Has excellent rust-proofing capacities and gives general abrasion-resistance to the part that is processed. Highly resistant to corrosion due to weathering, salt air, humidity.



Technical Specifications:

Quantity	400 ml
Confection	12 pz
Barcode	EAN 13 8034108891699
Aspect	Cylinder containing under pressure fluid
Physical state	Pigmentated liquid in aereosol
Temperature resistance	300° C
Color	greenish gold
Odour	Characteristic of solvent
Relative density	a 20°C 0,72 ÷ 0,75 g/ml
propellent	GPL
Flash point	Low.0° C
Chemycal nature	synthetic resin with a basis of zinc powder pigment of corrosion inhibitor
Dry residual	18%
Pureness zinc dust	98%
yield per cylinder	2 / 3 mq2
Dryng times	Out dust 10 minutes
	Dry to touch: 20 minutes
	Dry in depht: 6 hours
Pressure at 20°C	5,5 bar

APPLICATION FIELDS:

Surfaces in metal as iron, aluminum, steel.
Protection of ferrous metallic structures, pipelines, eaves, enclosures, job utensils etc.

HOW TO USE: Clean carefully the support to treat for eliminating encrustations and traces of rust through synthetic thinner. If necessary, sand with abrasive's paper. Turn the cylinder upside-down and to shake it well until the marbles can move freely inside the cylinder, spray a couple of times and progress with the painting. To avoid dropping apply twice from a distance of about 20-30cm. After the use spray for 2/3 seconds turned upside-down for avoid-king the filling of the actuator.

MODALITY OF STORAGE

Before using: stock the product in a dry location and don't stock it with a temperature under 0°C degrees and over 45°, after the use, keep containers closed. In the original package, the product can be conserved for 24 months.

After the first usage: conserve in a fresh and dry location, away from hot spring. Keep out of reach of children.

Hazards identification:

H222	Extremely flammable aerosol.
H229	Pressurised container: may burst if heated.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.

This information, even if reliable, must be considered only approximate. The usage don't imply our responsibility, included the violation of many license. Before using, the users have to verify the suitability of the product for the specific use.